

# Alternatives, and alternative semantics

Simon Charlow (Rutgers)

NYU Semantics Group

November 4, 2016

# Overview

## Alternatives

**Alternatives** are useful for many things semanticists like to think about:

- ▶ Questions denote sets of their possible answers:

$$\llbracket \text{Who left} \rrbracket = \{ \mathbf{left} \ x \mid \mathbf{human} \ x \}$$

- ▶ Prosodic focus invokes things the speaker could have said:

$$\llbracket \text{BOB left} \rrbracket_f = \{ \mathbf{left} \ x \mid x \in \llbracket \text{BOB} \rrbracket_f \}$$

- ▶ And scalar items conjure up alternative utterances:

$$\llbracket \text{someone left} \rrbracket_s = \{ f \ \mathbf{left} \mid f \in \llbracket \text{someone} \rrbracket_s \}$$

## Alternative semantics

Alternative *semantics* (Hamblin 1973, Rooth 1985) is useful, too:

- ▶ It's one way (among others) to derive alternatives.
- ▶ Principally, though, it's a *pseudo-scope mechanism*, used to get semantic action at a distance without island-violating movement.

# This talk

A couple approaches to alternatives:

- ▶ Scope-based
- ▶ Alternative-semantic

I'll try to sketch a better theory. Unlike either of the above, accounts for:

- ▶ Islands
- ▶ Selectivity outside islands
- ▶ Binding

Maybe the most satisfying bit: the theory uses tools that were under our noses the whole time (i.e., in the questions lit post-Karttunen 1977).

Alternatives via scope

## Two key ingredients (Karttunen 1977)

**First ingredient:** a way to conjure alternative-typed things from the æther.

$$\begin{aligned} ? &:: \mathbf{t} \rightarrow \{\mathbf{t}\} \\ \llbracket ? \rrbracket &= \lambda p. \lambda q. p = q \end{aligned}$$

**Second ingredient:** meanings that can scope over alternatives.

$$\begin{aligned} \text{who} &:: (\mathbf{e} \rightarrow \{\mathbf{t}\}) \rightarrow \{\mathbf{t}\} \\ \llbracket \text{who} \rrbracket &= \lambda f. \lambda p. \exists x. \mathbf{human} \ x \wedge f \ x \ p \end{aligned}$$

[I write 't' for the type of propositions, and '{α}' for the type of (the characteristic function of) a set of α's. I'll only make explicit reference to worlds and assignments when absolutely necessary.]


## An example

$? :: t \rightarrow \{t\}$

$\llbracket ? \rrbracket = \lambda p. \lambda q. p = q$

$\text{who} :: (e \rightarrow \{t\}) \rightarrow \{t\}$

$\llbracket \text{who} \rrbracket = \lambda f. \lambda p. \exists x. \mathbf{human} x \wedge f x p$



$\rightsquigarrow \lambda p. \exists x. \mathbf{human} x \wedge \exists y. \mathbf{thing} y \wedge p = \mathbf{read} y x$

## Generalizing the approach

Some like alternatives for indefinites (e.g., Kratzer & Shimoyama 2002):

$$\llbracket \text{John saw a linguist} \rrbracket = \{\mathbf{saw} \ x \mathbf{j} \mid \mathbf{ling} \ x\}$$

No problem! We can generalize the scopal account (Heim 2000):

$$\begin{array}{ll} \eta \quad :: \quad \alpha \rightarrow \{\alpha\} & \text{a linguist} \quad :: \quad (e \rightarrow \{\alpha\}) \rightarrow \{\alpha\} \\ \llbracket \eta \rrbracket = \lambda a. \lambda b. a = b & \llbracket \text{a linguist} \rrbracket = \lambda f. \lambda a. \exists x. \mathbf{ling} \ x \wedge f \ x \ a \end{array}$$

[I've also generalized the types here, which will allow *a linguist* to induce sets of alternative individuals, alternative VP meanings, etc.]


## An example: indefinite alternatives via scope

$\eta :: \alpha \rightarrow \{\alpha\}$

$\llbracket \eta \rrbracket = \lambda a. \lambda b. a = b$


a linguist  $:: (e \rightarrow \{\alpha\}) \rightarrow \{\alpha\}$

$\llbracket \text{a linguist} \rrbracket = \lambda f. \lambda a. \exists x. \text{ling } x \wedge f x a$



$\rightsquigarrow \lambda p. \exists x. \text{ling } x \wedge p = \text{saw } x j$

## Issue #1: islands




Composes (and gets the right meaning), but has [island]-violating scoping of *which philosopher* (e.g., Huang 1982, Dayal 1996, Reinhart 1998).

## Island-escaping behavior, generally

Characteristic of basically anything associated with alternatives:

1. If [a **rich relative of mine** dies], I'll inherit a fortune. ( $\exists \gg \textit{if}$ )  
(Fodor & Sag 1982, Reinhart 1997)
2. Dr. Svenson **only** complains when [**BILL** leaves the lights on].  
(Rooth 1985, 1996, Krifka 2006)
3. [[**Dono gakusei-ga** syootaisita] sensei] -**mo** odotta.  
which student-NOM invited teacher-MO danced  
'For every student  $x$ , the teacher(s)  $x$  invited danced.'  
(Kratzer & Shimoyama 2002, Shimoyama 2006)
4. Every single passenger [who ordered fish **or** beef] (I can't remember which) got food poisoning. ( $\rightsquigarrow \textit{not-and}$ ; see Charlow 2016)

## Issue #2: pied piping



This composes just fine, but allows only answers like *I read 'Emma'* (e.g., von Stechow 1996, Sternefeld 2001a):

$$\lambda p. \exists x. \mathbf{human}_{@} x \wedge p = \lambda w. \mathbf{read}_w (\mathbf{the-book-of}_{@} x) \mathbf{s}$$

should be w!

## Alternative semantics

# Basics


First ingredient: all meanings are sets.

$$\begin{array}{ll} \text{John} \quad :: \{e\} & \text{met} \quad :: \{e \rightarrow e \rightarrow t\} \\ \llbracket \text{John} \rrbracket = \{j\} & \llbracket \text{met} \rrbracket = \{\mathbf{met}\} \end{array}$$
$$\begin{array}{l} \text{a linguist} \quad :: \{e\} \\ \llbracket \text{a linguist} \rrbracket = \{x \mid \mathbf{ling} x\} \end{array}$$

Second ingredient: meaning combination is *pointwise* application.


$$\llbracket A B \rrbracket = \{f x \mid f \in \llbracket A \rrbracket, x \in \llbracket B \rrbracket\}$$

## A simple example: alternatives without movement



$\rightsquigarrow$  {**saw**  $x_j$  | **ling**  $x$ }

## Island-escaping behavior, without movement



$\rightsquigarrow$  **{if (dies  $x$ ) house | relative  $x$ }**

## Issue #1: selectivity outside islands

When two alternative-inducing expressions live on island, they can take scope in different ways outside the island:

1. If [a phenomenal lawyer<sub>l</sub> visits a filthy rich relative of mine<sub>r</sub>], I'll inherit a fortune.  $(\exists_{l,r} \gg \text{if}, \exists_l \gg \text{if} \gg \exists_r, \exists_r \gg \text{if} \gg \exists_l)$

No go in alternative semantics! The meaning for the [island] (below) doesn't have enough structure to distinguish lawyers and relatives. So there's no way to percolate one, but not the other, over the conditional.

{visits  $x$   $y$  | lawyer  $y$ , relative  $x$ }

[Because scope-based approaches have trouble with islands, they *a fortiori* have a hard time with selectivity outside islands.]

## Selectivity, more generally

Like exceptional scope behavior, selective exceptional scope is at least somewhat general:

1. [JOHN only gripes when [MARY leaves the lights on]]<sub>C</sub>, and  
[MARY **only** gripes when [JOHN leaves the lights on]] ~ **C**.  
(see Rooth 1996, Wold 1996, Krifka 1991, 2006, Charlow 2014)

[Interestingly, there's some data that seems to go against selectivity, as discussed by, e.g., Kratzer & Shimoyama (2002) (see also Beck 2006). Feel free to ask me about it.]

## Issue #2: binding

Binding in a standard semantics, *sans* alternatives:

$$\llbracket A_i B \rrbracket^g = \llbracket A \rrbracket^g (\lambda x. \llbracket B \rrbracket^{g^{i-x}})$$

Binding in alternative semantics is problematic (Poesio 1996, Shan 2004):

$$\llbracket A_i B \rrbracket^g = \{f g \mid f \in \llbracket A \rrbracket^g, g \in \underbrace{???}\}$$

Needs to be a set of functions:  $\{\lambda x. \dots \underbrace{\llbracket B \rrbracket^{g^{i-x}}}_{\text{Already a set!}}\}$


[Both of these “rules” should have a symmetric alternative that treats  $A$  as the argument.]

## A breakthrough?

Ciardelli, Roelofsen & Theiler (2016) propose the following semantics:

$$\text{who} :: (e \rightarrow \{t\}) \rightarrow \{t\}$$
$$\llbracket \text{who} \rrbracket = \lambda f. \bigcup_{x \in \text{human}} f x$$

$$\text{see} :: e \rightarrow e \rightarrow \{t\}$$
$$\llbracket \text{see} \rrbracket = \lambda x. \lambda y. \{\mathbf{see} \ x \ y\}$$



$\rightsquigarrow \{\mathbf{see} \ x \ j \mid \mathbf{human} \ x\}$

## The wide view

However, this is just a set-theoretic recasting of the type-theoretic Karttunen (1977) semantics.

$$\llbracket \text{who}_{\text{kart}} \rrbracket f p \iff p \in \llbracket \text{who}_{\text{crt}} \rrbracket (\lambda x. \{p \mid f x p\})$$

The only difference from Karttunen: Ciardelli, Roelofsen & Theiler bake  $\llbracket ? \rrbracket$  into the lexical semantics of (e.g.) verbs.

This is central to the success of the theory, such as it is, in dealing with binding. If you're not using alternative *semantics* for pseudo-scope, *of course* you're not going to have a problem with binding.

## Taking stock

So we haven't made any progress, really. There *is* no problem of *composing* alternatives (and there hasn't been one since 1977).

The compositional problems having to do with alternatives are problems for **alternative semantics**.

A theory

## A modular vignette

Cresti (1995: 96), fn17 mentions an interesting possibility:

<sup>17</sup> To be more explicit, we can imagine a *wh*-phrase as composed of an indefinite and a [+WH] component. So for instance, the meaning of *who* would be “some person  $x$  has property  $\mathbf{P}$ ” with [+WH] applied to it. In other words: ‘ $\lambda \mathbf{P} \exists x [\mathbf{person}(x) \wedge \mathbf{P}(x)]$ ’, and ‘[+WH]  $\rightsquigarrow \lambda \mathbf{U} \lambda \mathbf{W} \lambda p [\mathbf{U}(\lambda u. \mathbf{W}(u)(p))]$ ’. So [+WH] applied to “some person . . .” is ‘ $\lambda \mathbf{U} \lambda \mathbf{W} \lambda p [\mathbf{U}(\lambda u. \mathbf{W}(u)(p))] (\lambda \mathbf{P} \exists x [\mathbf{person}(x) \wedge \mathbf{P}(x)])$ ’ = ‘ $\lambda \mathbf{W} \lambda p \exists x [\mathbf{person}(x) \wedge \mathbf{W}(x)(p)]$ ’, as in (39).

In other words, given the following, we have  $\llbracket \text{who} \rrbracket = \llbracket \text{someone +WH} \rrbracket$ :<sup>1</sup>

$$\begin{aligned} +\text{WH} &:: ((e \rightarrow t) \rightarrow t) \rightarrow (e \rightarrow \{t\}) \rightarrow \{t\} \\ \llbracket +\text{WH} \rrbracket &= \lambda f. \lambda g. \lambda p. f (\lambda x. g \ x \ p) \end{aligned}$$

---

<sup>1</sup>Actually,  $\llbracket +\text{WH} \rrbracket$  turns out to be the  $\gg$  operation of the Continuation monad(!).

## My proposal: shift *sets* instead of GQs

That is, replace [+WH] with  $\gg$ , defined as follows ( $\eta/?$  is unchanged!):

- ▶ Type-theoretically:

$$\begin{array}{ll} \eta \quad :: \alpha \rightarrow \{\alpha\} & \gg \quad :: \{\alpha\} \rightarrow (\alpha \rightarrow \{\beta\}) \rightarrow \{\beta\} \\ \llbracket \eta \rrbracket = \lambda a. \lambda b. a = b & \llbracket \gg \rrbracket = \lambda m. \lambda f. \lambda b. \exists a. m a \wedge f a b \end{array}$$

- ▶ Set-theoretically:

$$\begin{array}{ll} \eta \quad :: \alpha \rightarrow \{\alpha\} & \gg \quad :: \{\alpha\} \rightarrow (\alpha \rightarrow \{\beta\}) \rightarrow \{\beta\} \\ \llbracket \eta \rrbracket = \lambda a. \{a\} & \llbracket \gg \rrbracket = \lambda m. \lambda f. \bigcup_{a \in m} f a \end{array}$$

[Notice that Cresti's [+WH] analysis actually allows us to generate strange denotations like  $\lambda p. \neg \exists x. \mathbf{human} x \wedge p = \mathbf{saw} xj$ . This is a (weak) argument that applying  $\gg$  to sets rather than GQs might be preferable. Stronger arguments TK.]

## Nothing new under the sun

The  $\gg$  shifter just maps sets into Karttunen's scopal meanings:

$$\begin{aligned}\{x \mid \mathbf{ling} x\}^{\gg} &\equiv \lambda f. \lambda b. \exists a. \mathbf{ling} a \wedge f a b \\ &\equiv \lambda f. \bigcup_{\mathbf{ling} a} f a\end{aligned}$$


## A simple case, with a familiar derivation

$$\eta :: \alpha \rightarrow \{\alpha\}$$

$$\llbracket \eta \rrbracket = \lambda a. \{a\}$$

$$\gg ::= \{\alpha\} \rightarrow (\alpha \rightarrow \{\beta\}) \rightarrow \{\beta\}$$

$$\llbracket \gg \rrbracket = \lambda m. \lambda f. \bigcup_{a \in m} m a$$



$$\rightsquigarrow \{\mathbf{see} \ x \mathbf{j} \mid \mathbf{ling} \ x\}$$

## Some more facts about these operations

$\eta$  and  $\gg$  form a decomposition of LIFT (e.g., Partee 1986):

$$(\eta x) \gg \equiv \lambda f. f x$$


More generally, together they comprise something known as a monad (e.g., Shan 2002, Giorgolo & Asudeh 2012, Charlow 2014).

- ▶ Monads are *really* useful when you want “fancy” things (like sets of alternatives) to interact with the function-argument Fregean bread-and-butter of compositional semantics.

[Indeed, the analysis I’m proposing here is essentially the same as the one I put forward in my dissertation (2014), though I’m not using continuations here.]

# Islands


Because the theory is oriented around scope, islands seem problematic at first. *But they're not!* We can apply  $\gg$  to *any* set of alternatives!



$\rightsquigarrow$  **{if (dies x) house | relative x}**

## Islands more generally:

For any monadic type constructor  $M$ , the tree on the left is guaranteed equivalent to the tree on the right.



It's as if  $m$  had scoped out of the **island**, without actually doing so!

## Some antecedents

The type of movement on display here is also known as “roll-up” covert pied-piping” (or, sometimes, colorfully, “snowballing” covert pied-piping).

See Nishigauchi 1990, Moritz & Valois 1994, von Stechow 1996, Huhmarniemi 2012 for much more on both overt and covert versions of this movement.



## More on selectivity

The three semantic values that result, two of them higher-order:

{**visits**  $y\ x$  | **lawyer**  $x$ , **relative**  $y$ }

{{**visits**  $y\ x$  | **relative**  $y$ } | **lawyer**  $x$ }

{{**visits**  $y\ x$  | **lawyer**  $x$ } | **relative**  $y$ }

Here's how they interact with the conditional:

- ▶ The first can be used to give both indefinites widest scope
- ▶ The second can be used to give *a lawyer* widest scope
- ▶ The third can be used to give *a relative* widest scope

So we have full selectivity, because we can automatically build alternative sets with *higher-order structure* (cf. Dayal 1996, 2002, Fox 2012)!

## Binding

Because everything is put together with functional application (like any scopal theory of alternatives), there's no need to say anything special about binding.

At the same time, we have a full account of island-escaping readings.

# Reconstruction

## Basic data

Consider the wide-scope indefinite reading of the following:

1. Every linguist<sub>*i*</sub> is overjoyed [whenever a world-famous expert on indefinites cites her<sub>*i*</sub>]. ( $\exists \gg \forall$ )

There's a puzzle here: if the [island] scopes over *every linguist*, how can the quantifier bind *her*?

## A slight tweak


Simply moving explicit reference to assignments into the semantics allows for *binding reconstruction* (Sternefeld 1998, 2001b):

$$\begin{array}{ll} \eta \quad :: \quad \alpha \rightarrow \mathbf{g} \rightarrow \{\alpha\} & \gg \quad :: \quad \{\alpha\} \rightarrow (\alpha \rightarrow \mathbf{g} \rightarrow \{\beta\}) \rightarrow \mathbf{g} \rightarrow \{\beta\} \\ \llbracket \eta \rrbracket = \lambda a. \lambda \mathbf{g}. \{a\} & \llbracket \gg \rrbracket = \lambda m. \lambda f. \lambda \mathbf{g}. \bigcup_{a \in m \mathbf{g}} m a \mathbf{g} \end{array}$$

I'll abbreviate ' $\mathbf{g} \rightarrow \{\alpha\}$ ' as ' $\mathbb{M}\alpha$ ' in what follows.

[See Kobele 2010, Kennedy 2014, and indeed the entire the dynamic-semantics literature (e.g., Barwise 1987, Groenendijk & Stokhof 1991, Muskens 1996) for independent motivation for assignment-sensitivity as a first-class part of semantic denotations.]

## An example



Like before, the derived island meaning has enough structure to allow the pronoun to get interpreted low, even as the indefinite is interpreted high!

$$\rightsquigarrow \lambda g. \{ \lambda h. \{ \mathbf{cites} \ h_n \ x \} \mid \mathbf{expert} \ x \}$$

## A general account of pied piping!

So we've got a fully general account of covert pied-piping, one which allows a fine degree of control over where different things on an island are evaluated, within a restrictive theory of syntax-semantics interface.

Extends immediately to *overt* pied-piping, as well.

Concluding

## Summing up

Semantics with alternatives and alternative semantics are different things.

- ▶ While we understand very well how to get alternatives (and have for some time), what's been missing is an account that explains **island-insensitivity**, too.
- ▶ The current best theory of island-escaping readings, alternative semantics, has some lacunae (principally, **selectivity and binding**).

I tried to show that we don't have to make any compromises.

- ▶ If we begin with our gold-standard theory of questions and then simply **break off**  $\gg$  **from** **[who]**, we have a complete theory!
- ▶ A more general (and independently motivated) treatment of assignment- (and, if you like, world-) sensitivity completes the picture, allowing **binding reconstruction and (c)overt pied-piping**.

## Something I didn't discuss

On the last slide, I called alternative semantics “our current best theory of island-escaping readings”. Proponents of *choice-functional* analyses of indefinites and questions might be surprised to hear this.

In fact, we improve on choice-functional analyses. Feel free to ask more.

- Barwise, Jon. 1987. Noun phrases, generalized quantifiers, and anaphora. In Peter Gärdenfors (ed.), *Generalized Quantifiers*, 1-29. Dordrecht: Reidel.  
[http://dx.doi.org/10.1007/978-94-009-3381-1\\_1](http://dx.doi.org/10.1007/978-94-009-3381-1_1).
- Beck, Sigrid. 2006. Intervention effects follow from focus interpretation. *Natural Language Semantics* 14(1). 1-56. <http://dx.doi.org/10.1007/s11050-005-4532-y>.
- Charlow, Simon. 2014. *On the semantics of exceptional scope*. New York University Ph.D. thesis.  
<http://semanticsarchive.net/Archive/2JmMWRjY/>.
- Charlow, Simon. 2016. Scalar implicature and exceptional scope. Unpublished ms.  
<http://ling.auf.net/lingbuzz/003181>.
- Ciardelli, Ivano, Floris Roelofsen & Nadine Theiler. 2016. Composing alternatives. *Linguistics and Philosophy*. 1-36. <http://dx.doi.org/10.1007/s10988-016-9195-2>.
- Cresti, Diana. 1995. Extraction and reconstruction. *Natural Language Semantics* 3(1). 79-122.  
<http://dx.doi.org/10.1007/BF01252885>.
- Dayal, Veneeta. 1996. *Locality in wh quantification*. Dordrecht: Springer Science+Business Media.  
<http://dx.doi.org/10.1007/978-94-011-4808-5>.
- Dayal, Veneeta. 2002. Single-pair versus multiple-pair answers: *Wh*-in-situ and scope. *Linguistic Inquiry* 33(3). 512-520. <http://dx.doi.org/10.1162/ling.2002.33.3.512>.
- Fodor, Janet Dean & Ivan A. Sag. 1982. Referential and quantificational indefinites. *Linguistics and Philosophy* 5(3). 355-398. <http://dx.doi.org/10.1007/BF00351459>.
- Fox, Danny. 2012. Lectures on the semantics of questions. Unpublished lecture notes.

- Giorgolo, Gianluca & Ash Asudeh. 2012.  $(M, \eta, \star)$ : Monads for conventional implicatures. In Ana Aguilar Guevara, Anna Chernilovskaya & Rick Nouwen (eds.), *Proceedings of Sinn und Bedeutung 16*, 265–278. MIT Working Papers in Linguistics. <http://mitwp1.mit.edu/open/sub16/Giorgolo.pdf>.
- Groenendijk, Jeroen & Martin Stokhof. 1991. Dynamic predicate logic. *Linguistics and Philosophy* 14(1). 39–100. <http://dx.doi.org/10.1007/BF00628304>.
- Hamblin, C. L. 1973. Questions in Montague English. *Foundations of Language* 10(1). 41–53.
- Heim, Irene. 2000. Notes on interrogative semantics. Unpublished lecture notes.
- Huang, C.-T. James. 1982. *Logical relations in Chinese and the theory of grammar*. Massachusetts Institute of Technology Ph.D. thesis.
- Huhmarniemi, Saara. 2012. *Finnish A'-movement: Edges and islands*. University of Helsinki Ph.D. thesis.
- Karttunen, Lauri. 1977. Syntax and semantics of questions. *Linguistics and Philosophy* 1(1). 3–44. <http://dx.doi.org/10.1007/BF00351935>.
- Kennedy, Chris. 2014. Predicates *and* formulas: Evidence from ellipsis. In Luka Crnić & Uli Sauerland (eds.), *The art and craft of semantics: A festschrift for Irene Heim*, vol. 1 (MIT Working Papers in Linguistics), 253–277. <http://semanticsarchive.net/Archive/jZiNmM4N/>.
- Kobebe, Gregory M. 2010. Inverse linking via function composition. *Natural Language Semantics* 18(2). 183–196. <http://dx.doi.org/10.1007/s11050-009-9053-7>.

- Kratzer, Angelika & Junko Shimoyama. 2002. Indeterminate pronouns: The view from Japanese. In Yukio Otsu (ed.), *Proceedings of the Third Tokyo Conference on Psycholinguistics*, 1–25. Tokyo: Hituzi Syobo.
- Krifka, Manfred. 1991. A compositional semantics for multiple focus constructions. In Steve Moore & Adam Wyner (eds.), *Proceedings of Semantics and Linguistic Theory 1*, 127–158. Ithaca, NY: Cornell University.
- Krifka, Manfred. 2006. Association with focus phrases. In Valéria Molnár & Susanne Winkler (eds.), *The Architecture of Focus*, 105–136. Mouton de Gruyter.
- Moritz, Luc & Daniel Valois. 1994. Pied-piping and specifier-head agreement. *Linguistic Inquiry* 25(4). 667–707. <http://www.jstor.org/stable/4178881>.
- Muskens, Reinhard. 1996. Combining Montague semantics and discourse representation. *Linguistics and Philosophy* 19(2). 143–186. <http://dx.doi.org/10.1007/BF00635836>.
- Nishigauchi, Taisuke. 1990. *Quantification in the theory of grammar*. Dordrecht: Kluwer Academic Publishers. <http://dx.doi.org/10.1007/978-94-009-1972-3>.
- Partee, Barbara H. 1986. Noun phrase interpretation and type-shifting principles. In Jeroen Groenendijk, Dick de Jongh & Martin Stokhof (eds.), *Studies in Discourse Representation Theory and the Theory of Generalized Quantifiers*, 115–143. Dordrecht: Foris.
- Poesio, Massimo. 1996. Semantic ambiguity and perceived ambiguity. In Kees van Deemter & Stanley Peters (eds.), *Semantic Ambiguity and Underspecification* (CSLI Lecture Notes 55), 159–201. Stanford: CSLI Publications.

- Reinhart, Tanya. 1997. Quantifier scope: How labor is divided between QR and choice functions. *Linguistics and Philosophy* 20(4). 335–397. <http://dx.doi.org/10.1023/A:1005349801431>.
- Reinhart, Tanya. 1998. Wh-in-situ in the framework of the Minimalist Program. *Natural Language Semantics* 6(1). 29–56. <http://dx.doi.org/10.1023/A:1008240014550>.
- Rooth, Mats. 1985. *Association with focus*. University of Massachusetts, Amherst Ph.D. thesis.
- Rooth, Mats. 1996. Focus. In Shalom Lappin (ed.), *The Handbook of Contemporary Semantic Theory*, 271–298. Oxford: Blackwell.
- Shan, Chung-chieh. 2002. Monads for natural language semantics. In Kristina Striegnitz (ed.), *Proceedings of the ESSLLI 2001 Student Session*, 285–298. <http://arxiv.org/abs/cs/0205026>.
- Shan, Chung-chieh. 2004. Binding alongside Hamblin alternatives calls for variable-free semantics. In Kazuha Watanabe & Robert B. Young (eds.), *Proceedings of Semantics and Linguistic Theory 14*, 289–304. Ithaca, NY: Cornell University. <http://dx.doi.org/10.3765/salt.v14i0.2901>.
- Shimoyama, Junko. 2006. Indeterminate phrase quantification in Japanese. *Natural Language Semantics* 14(2). 139–173. <http://dx.doi.org/10.1007/s11050-006-0001-5>.
- von Stechow, Arnim. 1996. Against LF pied-piping. *Natural Language Semantics* 4(1). 57–110. <http://dx.doi.org/10.1007/BF00263537>.
- Sternefeld, Wolfgang. 1998. *The semantics of reconstruction and connectivity*. Arbeitspapier 97, SFB 340. Universität Tübingen & Universität Stuttgart, Germany.

- Sternefeld, Wolfgang. 2001a. Partial movement constructions, pied piping, and higher order choice functions. In Caroline Fery & Wolfgang Sternefeld (eds.), *Audiatur vox sapientiae—A festschrift for Arnim von Stechow*, 473–486. Berlin: Akademie Verlag.  
<http://dx.doi.org/10.1515/9783050080116.473>.
- Sternefeld, Wolfgang. 2001b. Semantic vs. syntactic reconstruction. In Christian Rohrer, Antje Roßdeutscher & Hans Kamp (eds.), *Linguistic Form and its Computation*, 145–182. Stanford: CSLI Publications.
- Wold, Dag E. 1996. Long distance selective binding: The case of focus. In Teresa Galloway & Justin Spence (eds.), *Proceedings of Semantics and Linguistic Theory 6*, 311–328. Ithaca, NY: Cornell University. <http://dx.doi.org/10.3765/salt.v6i0.2766>.